DEPARTMENT OF HEALTH & HUMAN SERVICES





Food and Drug Administration 10903 New Hampshire Avenue Document Control Room –WO66-G609 Silver Spring, MD 20993-0002

Restorative Therapies Inc % Mr. Andrew Barriskill 907 S. Lakewood St Baltimore, MD 21224

APR - 4 2011

Re: K103366

Trade Name: RT600 (FES upright ergometer) Regulation Number: 21 CFR 882.5810

Regulation Name: External functional neuromuscular stimulator

Regulatory Class: Class II

Product Code: GZI Dated: March 3, 2011 Received: March 4, 2011

Dear Mr. Barriskill:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in

the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to

http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm.

Sincerely yours,

Malvina B. Eydelman, M.D.

Director

Division of Ophthalmic, Neurological, and Ear, Nose and Throat Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

Indications for Use

510(k) Number: K103366

Device Name: RT600 functional electrical stimulation stepper ergometer

Indications for use:

The RT600 is intended for general rehabilitation for:

- 1. Relaxation of muscle spasms
- 2. Prevention or retardation of disuse atrophy
- 3. Increasing local blood circulation
- 4. Maintaining or increasing range of motion

The RT600 is intended for use with a surface electrical stimulation garment for population ages 12 and above.

Prescription Use X (Part 21 CFR 801 Subpart D)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)

Division of Ophthalmic, Neurological and Ear,

Nose and Throat Devices

510(k) Number <u>103366</u>

Page 1 of 1